LIBRART RECEIVED * AUG 3 1 1959 * U. S. Department of Agriculture

BRIGGS NURSERY

Route 2 Box 39, Olympia, Washington Telephone: Fleetwood 2-5405

WHOLESALE PRICE LIST Fall 1959 - Spring 1960

Our terms are cash, for which we give a 10% discount. Add 10% to the cost for orders of less than 5 of one variety.

As we do not have adequate protective facilities for wintering over, we regret that we cannot accept fall orders for spring delivery of Broadleaved Evergreens. This spring, we shall be pleased to check your want lists and supply your needs with the stock which is still available.

BROADLEAVED EVERGREENS

| ABELIA. Edward Goucher | BAMBOO. Sasa, dwarf green & varig. |
|---|---|
| 12–15 | gal .65 |
| 15-18 1.00 | BARBERRY. |
| Grandkflora | Buxifolia, dwarf |
| 15-18 .85 | Irwini, low weeping |
| 18-24 1,00 | gal 4-6 .55 |
| Prostrata, new low white | gal 6-8 .75 |
| gal .65 | Julianae |
| ACANTHUS Mollis, prefers shade | gal 10-12 .75 |
| gal 12-15 .65 | 12–15 1.25 |
| ANDROMEDA. Pieris Japonica | 15–18 1.65 |
| gal 6-8 .60 | BROOM. Burkwoodi, tall red |
| gal 8-10 .75 | Moonlight, compact light yellow |
| 10-12 1.25 | gal 12–18 .65 |
| 12–15 1.50 | 12–15 1,00 |
| 15-18 1.75 | CAMELLIA Japonica and Sasanqua |
| 18-24 2.25 | Named varieties |
| Japonica varigated | gal, no buds 1.00 |
| 9-12 1.50 | gal, budded |
| 12–15 1.75 | 12–15 1.25 |
| Floribunda | 15-18 1.50 |
| gal 8-10 .75 | 18-24 1.75 |
| 9-12 1.25 | B & B, field grown |
| 12–15 | 15-18 1.75 |
| Forresti - same as Japonica | 18-24 2.25 |
| Polifolia, dwarf pink bloom | 2–3 3.00 |
| gal 4-6 | CEANOTHUS. Blue flowers |
| gal 6-8 .75 | Gloriosus, low growing |
| 8-10 1.00 | gal 12-15 |
| Speciosa, new gal .75 | J.K. Lawrence |
| | gal 18-24 775 |
| ARBUTUS Unedo. Strawberry Tree | CISTUS Corbariensis. White rockrose |
| gal 15-18 .75 | gal 9-12 5 |
| gal 18-24 1.00 | CITRUS Limonia. Meyer Lemon |
| 2-3 1.35 ARDISIA Japonica. Shade, red berries | gal 12-15 .75= gal select 1.25= |
| | COTONEASTER Eat Select 1.25m |
| gal 6-8 .75 AUCUBA Japonica | |
| Dwarf green. Dentata | Dammeri, or Humifusa, low growing gal .65 |
| gal 6-8 .55 | Apiculata, Conspicua Decorra and |
| gal 8-10 .75 | Microphylla Gracilis |
| | gal 9-12 .65 |
| Varigated gal 8-10 .55 | |
| gal 12-15 .75 | gal 12-15 .75 Francheti, orange berried |
| AZARA Microphylla. Fragrant yellow bl. | 18-24 1.25 |
| gal 12-15 .65 | |
| AZALEA. Some 20 varieties of | 2-3 1.50 Glaucophylla |
| Standards, Gables, Glenn Dales | |
| gal 4-6 .50 | gal 12-15 1,00 Horizontalis |
| | |
| gal 6-8 .75 | gal 15-18 1.00 |
| 8-10 .90 10-12 1.10 | Lowfast |
| 12-15 1.35 | gal 6-8 .65 |
| エ・フノ | gal 8-10 .75 |
| | |

BROADLEAVED EVERGREENS (cont.)

| COTONEASTER (cont.) | HEATHER. Balled, not burlapped |
|---|--|
| Parneyi, Henryi, Pannosa, Wardi, | Add 5¢ for B & B |
| Multiflora Calocarpa | Mediterranean, lavender or white Beal, Dawn, Golden, Mrs. Hamilton, |
| gal 15-18 .75 | Mrs. Johnson, Tib, Vulgaris Rubra |
| gal 18-24 1.00 15-18 1.00 | gal55 4-6 .40 |
| 18-24 1.35 | 6-8 •50 |
| 2-3 1.60 | 8-10 .60 |
| 3-4 1.80 | Carnea, Maxwell, Mrs. Gray, |
| Simonsi, tall red berried gal 2-3 .75 | St. Keverne, Vivelli gal .55 |
| Hybrid grafted for espalier | 6-8 .55 |
| Cornubia, enormous red berry | 8-10 |
| Pendula, weeping red berried 2-3 1.75 | HOLLY. Ilex Burford, Chinese. Red berried |
| 3+4 2.00 | gal 12-15 berried 1.00 |
| DAPHNE | 18-24 1.25 |
| Burkwoodi gal 8-10 .75 | English green 15-18 1.25 |
| 12–15 | 18-24 1.50 |
| 15-18 1.50 | 24-30 2.00 |
| Cneorum, rock daphne 4-6 gal or B&B .65 | Dwarf green, Angustifolia 12-15 1.25 |
| 6-9 .85 | 15-18 1.50 |
| 9-12 1.15 | 18-24 1.75 |
| Odora Marginata gal 4-6 .55 | V _a rigated 1.10 |
| gal 6-8 .75 | 15-18 1.35 |
| 9-12 1.00 | 18-24 1.65 |
| 12-15 15-18 1.50 | Japanese. Ilex crenata Convexa bullata, medium |
| Mantensiana. New, compact growth | 8-10 .90 |
| 6-8 1.25 | 10-12 1.25 |
| DUSTY MILLER gal .50 | Helleri, low and compact |
| gal .50 ELEAGNUS Pungens | gal 4-6 .65 gal 6-8 .75 |
| gal 18-24 1.00 | 8_10 1.10 |
| ESCALLONIA. | Rotundifolia, taller 10-12 .90 |
| Alice and Apple Blossom gal 10-12 .50 | 12–15 1.25 |
| gal 15-18 .85 | HONEYSUCKLE. Pileata Yunanensis |
| 18-24 1.00 | 12 - 15 1.00 15 - 18 1.25 |
| 2-3 1.35 EUONYMUS. | KALMIA Latifolia. Mountain Laurel |
| Japonicus Pres. Gaultheir, varig. | gal 4-6 .55 |
| gal 12-15 .75 | gal 4-6 .55 gal 6-8 .75 10-12 1.10 |
| 15-18 1.00 Patens (upright) and Fortunei Erecta | 12-15 1.40 |
| 18-24 1.25 | 15-18 1.75 |
| Radicans (Fortunei) | KINNIKINIK gal 8-10 .55 |
| Argentia Var. and Coloratus, low gal .55 | LAUREL English. Hedging grade 9-12 Tr15 B.R. |
| Varigated Upright | 9-12 Tr15 B.R. 12-15 Tr17½ B.R. |
| 8-10 1.00 | 15-18 Tr25 B.R. |
| FATSHEDERA Lizei | Zabeliana, low growing gal 6-8 .55 gal 10-12 .65 |
| gal 12-15 .65 gal 18-24 1.00 | gal 10-12 .65 |
| FATSIA. Aralia Seiboldi | 12–15 1.00 |
| gal 6-8 .65 gal 12-15 1.00 | 15 - 18 1.25 1.50 |
| FESTUCA Glauca, decorative grass | LAURESTINUS. Viburnum Tinus. |
| gal .50 | gal 9-12 .65 |
| FIRETHORN Lalandi, Govt. Red and Varigated | gal 12-15 .75 |
| gal 15-18 •75 | gal 15-18 select 1.00 15-18 1.25 |
| gal 2-3 1.00 | 18-24 1.50 |
| gal staked & | LEUCOTHOE Catesbaei |
| berried 1.35 2-3 1.35 | gal 6-8 .65 12-15 1.00 |
| 3-4 1.75 | 15-18 1.25 |
| | |

. . contigue of its come ander

BROADLEAVED EVERGREENS (cont.)

| LOQUAT. | Eriobotrya | iaponica | DDTIFF Cold forming Cold | -4 |
|--------------|----------------------------------|---------------|---------------------------------------|--------------|
| | gal 18-24 | .75 | PRIVET. California Gold gal 10-12 | en .50 |
| | gal 2-3 | 1.00 | 15-18 B&B | |
| MACNOT TA | 3-4 | 1.75 | 18-24 B&B | |
| | Grandiflora | | Lucidum. Wax privet | |
| | gal 12-18 gal 18-24 | .65 | gal 12-15 | |
| | 18-24 Br | 1.25 | gal 2-3 | |
| | 2-3 Br | 1.50 | 18-24 B&B | |
| MAHONIA. | Oregon Gray | pe | 2-3 B&B Vicari. New golden, la | 1.25 |
| Aquifo | lium, tall gr | rowing | 12–15 | .75 |
| | gal 10-12 | | 15-18 | 1.00 |
| | gal 12-15 | | RAPHIOLEPIS | |
| | 12 - 15 15 - 18 | 1.00 | Indica Rosea | |
| | 18-24 | 1.25 | gal 9-1 0 | .85 |
| | , larger foli | | gal 12-15 | 1.00 |
| | gal 9-12 | | Ovata gal 4-6 | .65 |
| | | 1.25 | gal 6-8 10-12 | •75 |
| | 15-18 | | 12-15 | 1.00 |
| | a, low growin | | RHODODENDRON - see next p | |
| MINTER CLARK | gal | .65 | ROSEMARY Lockwoodi, low g | rowing |
| WEXICAN (| ORANGE. Choi | sya Ternata | gal 8-10 | |
| | gal 6-9 | | gal. 12-15 | 1.00 |
| | gal 9-12 12-15 | .75 1.00 | SARCOCOCCA Ruscifolia, sh | |
| | L5-18 | 1.25 | gal 6-8 | •55 |
| | L8-24 | 1.50 | gal 10-12 | |
| | Heavenly Ba | | 15-18 SENECIO Greyii | 1.00 |
| € | gal 4-6 | | gal | •50 |
| | gal 8-10 | .75 | SKIMMIA Japonica | •)0 |
| - | | 1.00 | Female, red or white ber | rried |
| | 5-18 | 1.10 | gal 4-6 | .65 |
| | 24-30 | 1.35 | gal. 8-10 | 1.00 |
| | Delavayi | 1.65 | Male pollenizer | |
| | gal 6-8 | .65 | gal 4-6 | •55 |
| - | gal 8-10 | .75 | Dwarf Male, pink bloom, | |
| | 9-12 | 1.10 | gal 4-6 STRANVAESIA Davidiana, upr | .75 |
| | .2-15 | 1.35 | | 1.50 |
| Ilicifo | lius argented | o-marginatus, | 2-3 | 1.75 |
| | varigated | 1 = | Undulata, new low grower | |
| | al 4-6 Burkwoodi | .65 | 15-18 | 1.50 |
| | al 6-8 | .65 | 18-24 | 1.75 |
| | 9-12 | 1.10 | TEUCRIUM Chamaedrys | |
| | 2-15 | 1.35 | VERONICA. Hebe | 1.00 |
| | ASS. Cortade | | Autumn Glory, blue fall | hi comit u u |
| | 2-3 | 1.00 | gal 8-10- | |
| | Mucronata | | 12–15 | .75 |
| | red, and pink | | Glaucophylla, grey-green | |
| | al 6-9 | | 10_12 | .75 |
| | al 9-12 9-12 | .75 1.00 | Buxifolia and Menziesi, | improved |
| | 2-15 | 1.25 | lower grower | |
| | 5-18 | 1.50 | gal VIBURNUM | • 55 |
| PHILLYREA | | | | h7 |
| 12 | 2-15 | 1.10 | Burkwoodi, fragrant pink gal 9-12 | .65 |
| | 5-18 | 1.35 | | 1.00 |
| PHOTINIA. | | | 15-18 | 1.20 |
| | 2-15 | 1.00 | 18–24 | 1.45 |
| | 5-18 | 1.25 | Davidi, low foliage plan | t |
| Serrulat | 3-24 | 1.50 | gal 4-6 | .65 |
| | al 8-10 | .65 | gal 6-8 | .90 |
| | | 1.00 | Leather Leaf. Rhydotoph | yllum |
| _ | | 1.25 | gal 12-15 | |
| | 3-24 | 1.50 | | 1.25 |
| PITTOSPORU | | | 2–3 3_/ | |
| ga | 7 0 70 | 1 = | 3–4 | 1.75 |
| | 1 8-10 | .65 | YUCCA | |
| ga | 1 12-15 | 1.00 | YUCCA gal 10-12 | •65 |

The second of the second *

| | J. 12. ~ 740) |
|---|--|
| RHODODENDRONS | VINES AND CLIMBERS |
| Group 1 | ARISTOLOCHIA Sippho |
| 21-24 4.50 12-15 2.75 | Dutchman's Pipe 3 yr .75 |
| 18-21 4.00 10-12 2.25 | BIGNONIA Radicans |
| 15-18 3.25 gallon 1.10 | Trumpet Vine 2 yr .45 |
| | BITTERSWEET |
| | Celastrus Scandens 2 yr .45 |
| Antoon van Welie large pink | CLEMATIS |
| Azor salmon pink | Comtesse de Bouchard, pink |
| Butterfly lemon yellow | Duchess of Edinburgh, dbl. white |
| Cynthia light red | Elsa Spaeth, rich blue |
| David deep red | Ernest Markham, petunia red |
| Dr.H.C.Dresselhuis- hardy crimson | Gypsy Queen, velvety purple |
| Fabia orange bells | Henryi, large white |
| Fastuosum Flore Pleno-double mauve | Jackmani, purple |
| Gomer Waterer - white, green blotch | Mme. Baron Veillard, pink |
| Ignatius Sargent compact red | Mme. Edouard Andre, red |
| Jan Dekens large pink | Montana Rubens, rose |
| Mme de Bruin cherry red | Mrs. Cholmondeley, large lavender |
| May Day scarlet bells | Nelly Moser, mauve with red bars |
| Mrs.A.T.de la Mare large white | Ramona, lavender blue |
| Pink Pearl light pink | Tangutica, yellow bells |
| Purple Splendor deep purple | gal 1.10 |
| Rosa Mundi early light pink | Virginiana, summer white |
| Sappho white, purple blotch | gal .55 |
| Trilby compact red | Armandi, evergreen white |
| Vulcan bright scarlet | gal 1.35 |
| | HONEYSUCKLE. Lonicera |
| Group 2 15-18 3.75 | Halls 2 yr .35 |
| 12-15 3.25 | Heckrotti, Goldflame gal .50 |
| 10-12 2.75 | Sempervirens, Trumpet 2 yr .35 |
| Britannia brilliant red | IVY English. 1 yr $.05\frac{1}{2}$ |
| Broughtonii Aureum clear yellow | Field grown 2 yr .10 |
| Earl of Athlone blood red | JASMINE Floridum white summer |
| Elizabeth new red, semi-dwf. Jean M. Montague bright red | Nudiflorum, yellow winter bloom |
| Jean M. Montague bright red | gal 12-15 .50 |
| Lady Bligh strawberry red | 15-18 .65 |
| | 18-24 .75 |
| DWARF NAMED VARIETIES | Star. Trachelosperum jasminoides |
| gal 1.10 | gal 12-18 1.00 |
| | VIRGINIA CREEPER |
| HYBRID SEEDLINGS | Red fall foliage 2 yr .40 |
| Mixed colors, unnamed varieties | WISTERIA Sinensis 18-24 .45 |
| gal .60 | 2–3 .55 |
| | 4 |
| SHADE TREES - Also see | deciduous listing. |
| | |
| BIRCH. European white | OAK. Quercus. Red and Pin |
| 3-4 Br .55 | 3-4 Br .90 |
| 4-5 Br .70 | 4-5 Br 1.25 |
| ELM. Chinese and Siberian | 5-6 Br 1.50 |
| 4-5 Br .60 | 6-7 Br 1.75 |
| LINDEN. Tilia | PLANETREE. American Sycamore |
| American | 5-6 Br 1.00 |
| 4-5 Br .90 | 6-8 Br 1.25 |
| 5-6 Br 1.25 | POPLAR. Lombardy |
| 7 P 7 FO | |
| 6-8 Br 1.50 | 4-5 Br .50 |
| European | 4-5 Br .50 5-6 Br .60 |
| European 4-5 Br 1.25 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree |
| European 4-5 Br 1.25 5-6 Br 1.65 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 |
| European 4-5 Br 1.25 5-6 Br 1.65 MAPLE. Acer | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 |
| European 4-5 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 |
| European 4-5 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua |
| European 4-5 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua |
| European 4-5 Br 5-6 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 Norway, Red, and Silver | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua 2-3 Br 1.00 B&B 3-4 Br 1.50 B&B |
| European 4-5 Br 5-6 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 Norway, Red, and Silver | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 |
| European 4-5 Br 5-6 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 Norway, Red, and Silver 4-5 whips 5-6 Br 90 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua 2-3 Br 1.00 B&B 3-4 Br 1.50 B&B |
| European 4-5 Br 5-6 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 Norway, Red, and Silver 4-5 whips 5-6 Br 90 6-8 Br 1.25 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua 2-3 Br 1.00 B&B 3-4 Br 1.50 B&B WILLOW. Golden |
| European 4-5 Br 5-6 Br 1.25 5-6 Br 1.65 MAPLE. Acer Ginnala, scarlet fall foliage 3-4 Br 1.25 4-5 Br 1.50 Norway, Red, and Silver 4-5 whips 5-6 Br 90 | 4-5 Br .50 5-6 Br .60 PRUNUS PADUS. May day tree 3-4 Br 1.00 4-5 Br 1.25 5-6 Br 1.50 SWEET GUM. Liquidambar styraciflua 2-3 Br 1.00 B&B 3-4 Br 1.50 B&B WILLOW. Golden 3-4 Br .75 |

ZELKOVA Serrata. Tree or bush form Like elm, more disease resistant

5-6 Br

6-7 Br

7-8 Br

1.50

1.75

2.00

4-5 Br 5-6 Br

6-7 Br

3-4 Br

MULBERRY Fruitless

1.00

1.25

1.50

-55

The series of th The control of the co OFF PERSON COME THE

CONIFERS

| ARBORVITAE. | Thuis | CHAMAECYPARIS, LAWSONIANA | (cont) |
|--------------------------------|-------------------|---|--------------|
| Bakeri | | Stewarti, golden | (COHO.) |
| 15-18 | | 15-18 | 1.25 |
| Berckman's | | 18–24 | 1.50 |
| gal 8 – 10 | .75 | Wisseli | 7 75 |
| 10-12 | | 24 – 30 30 – 36 | 1.75 2.25 |
| 12-15 | | OBTUSA. Cripsi, golden | |
| Blue Cone | | 15-18 | 1.50 |
| 12 - 15 | | 18-24 | 2.00 |
| Ericoides | 1.25 | PISIFERA Compressa | |
| gal 1 | .2-15 .75 | gal 4-6 | .75 |
| 15-18 | | Golden Threadbranch, 1 | |
| Goldspot | | 8_10 | 1.25 |
| 2-3 Orientalis | Compacts | 10-12 | 1.50 |
| 12-15 | | 12-15 Plumosa Aurea | 1.75 |
| Pyramidalis | | 15–18 | 1.25 |
| 18-24 | | 18-24 | 1.50 |
| 24-30 | | Squarrosa Nana | |
| 30 - 36 3 - 4 | | gal 8-10 | .75 |
| Woodwardi, | 2.25 Globe | Squarrosa Veitchi 18-24 | 1.50 |
| 8-10 | .75 | 2-3 | 1.75 |
| 10-12 | 1.00 | FIR. Lasiocarpa, Alpine F | |
| 12-15 | | 15-18 | 1.50 |
| CEDRUS DECDAR | | 18-24 | 1.75 |
| CEDRUS DEODARA | | JUNIPER | |
| gal 18 | | Andorra, Nick's Compacta Blue Pfitzer, low form | , |
| 18-24 | | 10–12 | 1.35 |
| 2-3 | 1.75 | 12-15 | 1.65 |
| CHAMAECYPARIS. | Cypress | 15-18 | 1.80 |
| LAWSONIANA Alumi, blu | 10 | Burki, upright grower, s | |
| gal 10 | | Communis Dep. Aurea, gold 12-15 | 1.25 |
| 18-24 | | 15-18 | 1.50 |
| 24-30 | | Hetzia, blue | |
| 30–36 | | 10-12 | 1.00 |
| 3–4 Azurea | 2.25 | 12-15 | 1.25 |
| gal 12 | -15 .75 | 15 -1 8 18-24 | 1.50 1.75 |
| 18-24 | | Kosteri | ±•17 |
| Birdsnest, | | 15-18 | 1.75 |
| gal | .65 | 18-24 | 2,00 |
| 10-12 Birdsnest, | 1.35 | Meyeri, upright blue | 1 25 |
| 10-12 | 1.50 | Pfitzer, green | 1.35 |
| Cyano Vird | | gal 4-6 | .60 |
| gal 4- | | gal 6-8 | .75 |
| gal 6- | | 10-12 | 1.10 |
| 10-12 Ellwoodi | 1.00 | 12-15 Pfitzer, golden | 1.35 |
| gal 8-1 | 10 .60 | gal | .75 |
| gal 10. | | 10-12 | 1.40 |
| 12-15 | | 12-15 | 1.75 |
| 15-18 | | 15–18 | 2.10 |
| 18-24 Flamodi T | 1.50 mproved Blue | Sabina, Savins | 7 25 |
| gal | •75 | 12 -1 5 15 - 18 | 1.35 |
| 12-15 | | Spiny Greek, upright | |
| 15-18 | 1.65 | 10-12 | 1.00 |
| 28-24 | 2.25 | 12-15 | 1.25 |
| Lawson | 1 25 | Tamariscifolia | 10 |
| 18-24 | 1.25 | gel 4-6 gel 6-8 | .60 75 |
| 3-4 | 1.75 | 10_12 | .75 1.40 |
| Minima Gla | uca, dwarf | 12-15 | 1.75 |
| gal | •75 | 15-18 | 2.00 |
| 6 - 8 | 1.60 | | |

4 Les in the second , , 1000 1 e . . Walter 14 * Prince and the blue of the blu 1000 ACTION CONTRACTOR

Briggs Nursery Route 2 Box 39, Olympia, Wash. Fl. 2-5405

CONIFERS (cont.)

| PINE | | D2 - 1- 1111 - D 1 | |
|--------------------------|-------|---------------------------|-------|
| Austrian. Nigra | | Black Hills. Densata | 7 00 |
| 15-18 | 1.10 | 18–24 | 1.75 |
| 18-24 | 1.50 | 24–30 | 2.00 |
| 2-3 | | 30–36 | 2.50 |
| | 2.00 | 36-42 | 3.00 |
| Densiflora. Japanes | | Colorado | |
| | .65 | Green | |
| Flexilis, dwarf | | 15-18 | 1.50 |
| gal 4-6 | .65 | 18-24 | 1.75 |
| Himalayan. Griffith | | 24-30 | 2.00 |
| 15-18 | 1.25 | 30–36 | 2.25 |
| 18–24 | 1.65 | Blue Green | |
| Mugho, dwarf | | 15-18 | 2.50 |
| gal 4-6 | .65 | 18-24 | 3.00 |
| gal 6-8 | .75 | Koster Blue, grafted | |
| 6–8 | .90 | 15-18 | 3.00 |
| 8-10 | 1.25 | 18-24 | 3.50 |
| 10-12 | 1.50 | Engelmann's | 2.74 |
| 12-15 | 1.75 | 18-24 | 2.25 |
| 15-18 | 2.00 | 24–30 | 2.75 |
| Pinea. Stone pine | | Norway. Excelsa | ~ 1) |
| gal 15-18 | 1.00 | 18-24 | 7 775 |
| Pinyon. Nut pine | | 2-3 | 2.00 |
| gal 12-15 | •75 | | |
| Strobus. White | • 12 | Ni di Carrie duant mant f | 2.25 |
| gal 6-8 | .65 | Nidiformis, dwarf nest f | |
| Thunbergi. Japanese | | 7 . | .75 |
| gal 6-9 | | | 1.10 |
| PODOCARPUS Macrophylla | | | 1.50 |
| gal 10-12 | .75 | | 1.75 |
| SEQUOIA Gigantea | • 15 | YEW. Taxus | |
| | 65 | Irish green | |
| gal 6-8 SPRUCE. Picea | .65 | | 2.00 |
| | | 24-30 | 2.50 |
| Alberta. Dwarf pyram | nidat | English | |
| gal 6-8 | .75 | | 2.00 |
| 12-15 | 1.75 | | 2.50 |
| 15–18 | 2.50 | Japanese. Capitata, hardy | |
| | | | 1.50 |
| * | | 18-24 | 2.00 |
| | | | |

DECIDUOUS SHRUBS AND ORNAMENTAL TREES

| DECIDOCOS SHRUBS AND | URNAMENTAL TREES |
|------------------------------------|-------------------------------------|
| ALMOND. Pink flowering | BARBERRY |
| 18-24 .45 | |
| 2–3 .55 | Atropurpurea, red-leaved |
| ALBIZZIA Julibrissin. Silk Tree | gal 12-18 .50 12-15 .30 B.R. |
| 2–3 .50 | |
| 3-4 .75 | |
| ALTHEA. Ardens, double violet | Nana, Red Pigmy |
| Boule de Feu, red | gal 4-6 .60 |
| 15–18 .35 | |
| 18-24 .45 | 6-8 .75 Mentorensis |
| ASTILBE. Montgomeri, new red | gal .65 |
| gal .50 | BEAUTY BUSH. Kolkwitzia |
| AZALEA | 15-18 .45 |
| Altaclarensis - coppery yellow | 18-24 .55 |
| Mollis - orange and yellow shades | 2–3 .65 |
| Occidentalis - fragrant light pink | BUDDLEIA. Butterfly Bush, red |
| Ponticum - fragrant yellow | gal 12-18 .50 |
| Poukhanensis - lavender blue | CARYOPTERIS. Blue Spirea |
| gal 8-10 .75 | gal .50 |
| 10-12 1,00 | CHESTNUT Chinese |
| 12–15 1.20 | 2-3 |
| 15-18 1.40 | CHIONANTHUS Virginica. Fringetree |
| Dutch Hybrid, selected seadlings | 18-24 .50 |
| 10-12 1.15 | 2–3 .75 |
| 12-15 1.35 | 3-4 1.00 |
| 15-18 1.60 | CLETHRA Alnifolia. Sweet Pepperbush |
| Exbury Hybrids | 15-18 .50 |
| gal 4-6 .55 | COFFEE TREE. Gymnocladus |
| 10-12 1.25 | 2-3 1.00 |
| 12–15 1,50 | 3-4 1.35 |
| | 4 . |

, .--.

| DEGE | MICHE CHRIPE AND OPNA | MENTAL TREES (cont.) | |
|----------------------------|-----------------------|--|---------------|
| DECTI | Mand una caunne cuul | CDIPPA Collos Roses | Prunifolia. |
| MAPLE, Also see Snade | rees | SPIREA. Callosa Rosea, Frobeli, Thunbergi, Va | n Houetti |
| 1 | .75 | 18-24 | |
| 3-4 | | 2–3 | .45 |
| Polyation Atro Topox | nese red leaved | | |
| Parmatum Atro., Japan | 75 | 2–3 | .50 |
| gal 12-15 15-18 | 1 25 | 3-4 | .75 |
| 18-24 | 1.50 | TAMARIX African, pink | |
| 24-30 | | 2-3 | .45 |
| Ashi Beni, bright | | 3–4 | .55 |
| gal 15-18 | 1.10 | VIBURNUM. | 177 |
| 15-18 | 1.50 | Common Snowball | |
| 18-24 | 1.75 | 2-3 | •55 |
| MOCKORANGE. Philadely | | 3-4 | .65 |
| Boquet Blanc - dbl. | | Carlesi | |
| Coronarius - dwar: | f, fragrant | 12-15 | •90 |
| Virginalis - doub | le | 15-18 | 1.25 |
| 18-24 | | 18-24 | 1.50 |
| | •55 | Juddi, improved Carles | si |
| OXYDENDRON Arboreum. | Sourwood Tree | 12-15 | 1.00 |
| 18-24 | 1.00 | 15-18 | 1.35 |
| 2-3 | 1.35 | Fragrans | |
| 3–4 | 1.65 | 18-24 | .60 |
| POMEGRANATE. Chico, | dwarf red | 2–3 | .75 |
| gal .50 | | Tomentosum, Japanese Snowball | |
| POTENTILLA. Katherin | e Dykes, Beesi, | Double File, upright | grower |
| and Purdomi - dwarf | summer yellow | 15–18 | |
| gal | | 18-24 | |
| PRIVET. Chinese, hed | ging grade | 2–3 | .75 |
| 12–18 | .07 B.R. | WEIGELIA. Rosea, Rosea | varigatea, |
| | .10 B.R. | Newport Red (new dark | rea) |
| QUINCE Japonica, red | ilowering | 18-24 | •45 |
| 18-24 | | 2-3 | |
| 2–3 | •55 | Eva Rathke, dwarf red | lmon nink |
| 3-4 | .65 | Boskoop Glory, new sa Middendorffiana, new | Inon pink |
| Glowing Ember, red | .60 | Middendoriliana, new | rate herron |
| 2-3 | 7 17 18 | Purpurea, purple foli 15-18 | •50 |
| Nivalis, white and | .60 | 18-24 | .60 |
| gal 12-18 SMOKE TREE. Rhus | •00 | 10-24 | •00 |
| Cotinus Royal Purpl | | | |
| gal 12-15 | 1.00 | LABELS AND PLANT | AINERS |
| 2-3 grafts | 2.00 | | |
| 3-4 grafts | 2.50 | We now stock Rite-in-th | e-Rain Water- |
| Cotinoides, America | | proof Labels in several | |
| 18-24 | •50 | Green Enameled Plantain | |
| SOPHORA Japonica. Pa | | gallon sizes. These su | |
| 2–3 | .75 | picked up at the nurser | |
| 7 1 | 7 00 | -him on dolisson thom | |

LOCATION. Our office and growing grounds are located $l\frac{1}{2}$ miles southeast of Olympia on Highway 5-I (Yelm Highway). Turn east off of the New Freeway at Tumwater. Follow the Tumwater signs. Go past the Olympia Brewery and across the Old Highway 99. Proceed one block to Highway 5-I. Turn right and continue about $l\frac{1}{2}$ miles. Watch for our sign on the left.

ship or deliver them

1.00

1.50

3-4

HOURS. We are closed on Sundays except by previous appointment. We have help to dig stock only during the regular business hours. However, with advance notice, we can arrange to have orders dug for evening or Sunday pick-up.

SHIPPING. We can crate and ship only Bare Root items. The hardier conifers can be shipped B&B by auto freight. We can often arrange delivery to the Seattle-Tacoma area with our own truck. Otherwise, we request that the shrubs be selected and picked up here at the Nursery.

GUARANTEE OF GENUINENESS. We are ready at any time to replace free of charge, nursery stock that is proven to be untrue to name, or to refund the original amount paid, but we shall in no case be liable for any sum greater than the original purchase price of such stock.

Consultation of the Contract C